

RAMPAGE

Company	04
Fantic philosophy	08
Rampage	10
Rampage overview	15
Rampage 1.2 Factory	18
Rampage 1.2 Race	20
Rampage 1.4 Factory	22
Rampage 1.4 Race	24
Rampage 1.4 Sport	26



04

05

Fantic is a brand with more than 50 years of history.

We design, engineer and assemble high-performance electric bikes, with a view to enhancing our customers' experience. We focus on **design & technology** without compromise. We are a powerful e-motion.



Control, handling, exclusivity, mileage.



06

07

Fantic philosophy

01

Mileage

Fantic designs its **E-Bikes** with a view to ensuring the best performance of the battery and electric motor. **Designed by TQ, the motor and battery Power Unit** is specifically dedicated to the light e-mtb segment with a **50 Nm HPR50 motor** to guarantee **the feel of a muscular bike**. Extremely silent and light, the removable, **360Wh battery integrated** in the frame is rechargeable via the same frame charging port used to connect the range extender. **The central display on the top tube** indicates the autonomy, battery level, watts supplied by the motor and cyclist's power, as well as the current speed, while the remote control on the handlebar allows the rider to set 3 assistance levels which can be customised within the App.

03

Control

The Fantic FLIP CHIP patent, initially developed for the XTF 1.6 carbon, enables two rear wheel positions, resulting in two distinct geometries while maintaining a short rear length. This design ensures a responsive ride with both 2.2" and 2.4" tires. **The Rocker**, designed entirely by Fantic and placed in the rear suspension, is **manufactured in carbon**, ensuring extraordinarily responsive and precise performance by the complete rear suspension.



Control



Handling



Exclusivity



Mileage



02

Handling

Riding a **Fantic E-Bikes** has never been so easy, even on the hardest single-track and enduro tracks. Enhanced weight efficiency is achieved through a unique suspension system that **bends the rear triangle**, eliminating the need for two additional joints. The geometries of the 1.2 XC offer maximum pedaling efficiency and a racing stance, with a head tube angle ready to tackle the most technical descents and 120mm travel, while the 1.4 DC version, with wider tyres and longer rear, has greater grip and stability on descents thanks to its 140mm travel. The DC is the bike more devoted to downhill fun than its XC sister, which is more devoted to pedaling efficiency.

Exclusivity

UX design & Engineering made in Italy. All E-Bikes (Frames, Group sets & Powertrains) fully designed, engineered & assembled in Europe (Italy & Germany). The innovative Rampage, **designed with a focus on lightness by Fantic's R&D department**, boasts a full carbon frame weighing **just 15,5kg (*)** in its high-end version. Its seamlessly integrated battery makes it easy to forget its presence. (*) The ebike referenced in the weight is the Rampage 1.2 Factory.

09

*The bike in the photo refers to the **Rampage 1.2 Factory** model.



RAMPAGE

10

11

Control, handling, exclusivity, mileage.

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.



E-MTB light Rampage: lighter, faster and further.

Preferring **long distances and extreme speeds** to unleash a load of pure adrenaline on cross country routes embodying the essence of its name: **Rampage** – the first e-mtb light by **Fantic**.

You get to choose between 2 travel range types: XC (120mm) or DC (140mm).

The innovative **Rampage**, designed with a focus on lightness by **Fantic's** R&D department, boasts a **full carbon frame** weighing just 15,5kg (*) in its high-end version.

Its seamlessly integrated battery makes it easy to forget its presence.

(*)The ebike referenced in the weight is the **Rampage 1.2 Factory**.





14

Rampage:
lighter, faster
and further.

Rampage overview



Rampage 1.2 Factory



Rampage 1.2 Race



Rampage 1.4 Factory

15



Rampage 1.4 Race



Rampage 1.4 Sport



16

The innovative **Rampage** is designed around the concept of lightness in every detail.




17




Rampage 1.2 Factory

Colour options:
red




Colour: **black**

Technical specifications

	Full-Carbon, sizes: S-M-L-XL		Sram XX Eagle Transmission, 12V, 10-52
	TQ HPR-50, Torque/Coppia: 50 Nm		Magura MT8 SL 2 Piston disc brake
	TQ integrated, Lithium Ion, 360Wh		Mavic Crossmax SL Ultimate 29"
	RockShox SID Ultimate 2P 120mm Remote lock		Pirelli SCORPION ProWall XC-RC
	RockShox SIDLuxe 2P Ultimate Remote lock		Selle Italia SLR Boost Superflow

Specifications



Sizes	S	M	L	XL	Motor	TQ HPR-50, Torque/Coppia: 50 Nm
A	410	440	470	500	Battery	TQ integrated, Lithium Ion, 360Wh
B	75.00	75.00	500	500	Display	TFT top tube + remote
C	585	607	633	658	Frame	Full-Carbon, sizes: S-M-L-XL
D	95	105	120	130	Fork	RockShox SID Ultimate 2P 120mm - remote lock
E	64,50	65,00	65,00	65,50	Shock	RockShox SIDLuxe 2P Ultimate - remote lock
F	51	51	51	51	Chain rings	Sram Eagle Transmission 34t
G	121,5	118,0	118,0	114,3	Crank arm	FSA Carbon
H	732	748	775	794	Rear derailleur	Sram XX SL Eagle Transmission
I	437	437	437	437	Shift Levers	Sram AXS
J	23	23	23	23	Cassette	Sram XX Eagle Transmission, 12V, 10-52
J₂	349	349	349	349	Chain	Sram XX Eagle Transmission
K	605	612	627	640	Brake	Magura MT8 SL 2 Piston disc brake
L	423.5	442.5	463.0	483.0	Brake	Magura MT8 SL 2 Piston disc brake
M	795	800	805	810	Disc	Braking S3 Battfly, 180mm - 6Hole
N	780	780	780	780	Disc	Braking S3 Battfly, 180mm - 6Hole
O	65* - 70*	65* - 70*	65* - 70*	65* - 70*	Tires	Pirelli SCORPION ProWall XC-RC - 29"x 2.2
P	170	170	175	175	Tires	Pirelli SCORPION ProWall XC-RC - 29"x 2.2
Q/R	29" 743mm	29" 743mm	29" 743mm	29" 743mm	Wheels	Mavic Crossmax SL Ultimate 29"
S	562	562	562	562	Handlebar	FANTIC RACING INTEGRATED FLAT-17", 780mm
Z	100	100	125	150	Stem	nd/na
					Seatpost	Crankbrothers Highline 11 Ø30.9 - carbon
					Saddle	Selle Italia SLR Boost Superflow
					Note	(*) Optional range extender, 160Wh

* 65 handlebar KFX SIC INTEGRATED

* 70 handlebar KFX FLAT



Rampage 1.2 Race

Colour options:
black




Colour: red

Technical specifications

	Full-Carbon, sizes: S-M-L-XL		Sram GX, 12V, 10-52
	TQ HPR-50, Torque/Coppia: 50 Nm		Magura MT8 PRO 2 Piston disc brake
	TQ integrated, Lithium Ion, 360Wh		Mavic Crossmax SL S 29"
	RockShox SID 2P 120mm Remote lock		Pirelli SCORPION ProWall XC-RC
	RockShox SIDLuxe 2P Remote lock		Selle Italia Novus Boost X-Cross Superflow

Specifications



Sizes	S	M	L	XL	Motor	TQ HPR-50, Torque/Coppia: 50 Nm
A	410	440	470	500	Battery	TQ integrated, Lithium Ion, 360Wh
B	75.00	75.00	500	500	Display	TFT top tube + remote
C	585	607	633	658	Frame	Full-Carbon, Sizes: S-M-L-XL
D	95	105	120	130	Fork	RockShox SID 2P 120mm - remote lock
E	64,50	65,00	65,00	65,50	Shock	RockShox SIDLuxe 2P - remote lock
F	51	51	51	51	Chain rings	Sram 34t
G	121,5	118,0	118,0	114,3	Crank arm	FSA Forged Alloy
H	732	748	775	794	Rear derailleur	Sram GX AXS
I	437	437	437	437	Shift Levers	Sram GX AXS
J	23	23	23	23	Cassette	Sram GX, 12V, 10-52
J₂	349	349	349	349	Chain	Sram GX
K	605	612	627	640	Brake	Magura MT8 PRO 2 Piston disc brake
L	423.5	442.5	463.0	483.0	Brake	Magura MT8 PRO 2 Piston disc brake
M	795	800	805	810	Disc	Braking S3 Battfly, 180mm - 6Hole
N	780	780	780	780	Disc	Braking S3 Battfly, 180mm - 6Hole
O	65* - 70*	65* - 70*	65* - 70*	65* - 70*	Tires	Pirelli SCORPION ProWall XC-RC - 29"x 2.2
P	170	170	175	175	Tires	Pirelli SCORPION ProWall XC-RC - 29"x 2.2
Q/R	29" 743mm	29" 743mm	29" 743mm	29" 743mm	Wheels	Mavic Crossmax SL S 29"
S	562	562	562	562	Handlebar	FANTIC RACING INTEGRATED FLAT-17", 780mm
Z	100	100	125	150	Stem	nd /na
					Seatpost	Crankbrothers Highline 3 Ø30.9
					Saddle	Selle Italia Novus Boost X-Cross Superflow
					Note	(*) Optional range extender, 160Wh

* 65 handlebar KFX SIC INTEGRATED

* 70 handlebar KFX FLAT


Rampage 1.4 Factory

Colour options:
black




Colour: red

Technical specifications

	Full-Carbon, sizes: S-M-L-XL		Sram GX, 12V, 10-52
	TQ HPR-50, Torque/Coppia: 50 Nm		Magura MT8 PRO 2 Piston disc brake
	TQ integrated, Lithium Ion, 360Wh		Mavic Crossmax SL S 29"
	Suntour AXON34 LO-RC PCS Factory		Vittoria SYERRA - 29"x 2.4
	Suntour EDGE PLUS 2CR		Selle Italia Novus Boost X-Cross Superflow

Specifications




Sizes	S	M	L	XL	Motor	TQ HPR-50, Torque/Coppia: 50 Nm
A	410	440	470	500	Battery	TQ integrated, Lithium Ion, 360Wh
B	75.00	75.00	500	500	Display	TFT top tube + remote
C	585	607	633	658	Frame	Full-Carbon, Sizes: S-M-L-XL
D	95	105	120	130	Fork	Suntour AXON34 LO-RC PCS Factory
E	64,50	65,00	65,00	65,50	Shock	Suntour EDGE PLUS 2CR
F	51	51	51	51	Chain rings	Sram 34t
G	121,5	118,0	118,0	114,3	Crank arm	FSA Carbon
H	732	748	775	794	Rear derailleur	Sram GX AXS
I	437	437	437	437	Shift Levers	Sram GX AXS
J	23	23	23	23	Cassette	Sram GX, 12V, 10-52
J₂	349	349	349	349	Chain	Sram GX
K	605	612	627	640	Brake	Magura MT8 PRO 2 Piston disc brake
L	423.5	442.5	463.0	483.0	Brake	Magura MT8 PRO 2 Piston disc brake
M	795	800	805	810	Disc	Braking S3 Battfly, 180mm - 6Hole
N	780	780	780	780	Disc	Braking S3 Battfly, 180mm - 6Hole
O	65* - 70*	65* - 70*	65* - 70*	65* - 70*	Tires	Vittoria SYERRA - 29"x 2.4
P	170	170	175	175	Tires	Vittoria SYERRA - 29"x 2.4
Q/R	29" 743mm	29" 743mm	29" 743mm	29" 743mm	Wheels	Mavic Crossmax SL S 29"
S	562	562	562	562	Handlebar	FANTIC RACING INTEGRATED FLAT-17", 780mm
Z	100	100	125	150	Stem	nd /na
					Seatpost	RockShox Rverb AXS
					Saddle	Selle Italia Novus Boost X-Cross Superflow
					Note	(*) Optional range extender, 160Wh

* 65 handlebar KFX SIC INTEGRATED

* 70 handlebar KFX FLAT











Rampage 1.4 Race

Colour options:
black




Colour: red

Technical specifications

	Full-Carbon, sizes: S-M-L-XL		Sram SX, 12V, 11-50
	TQ HPR-50, Torque/Coppia: 50 Nm		Sram LEVEL 2 Piston disc brake
	TQ integrated, Lithium Ion, 360Wh		GBC Radiale 29"
	Suntour RAIDON34 LOR		Vittoria SYERRA - 29"x 2.4
	Suntour EDGE PLUS 2CR		Selle Italia Model-X Superflow

Specifications




Sizes	S	M	L	XL	Motor	TQ HPR-50, Torque/Coppia: 50 Nm
A	410	440	470	500	Battery	TQ integrated, Lithium Ion, 360Wh
B	75.00	75.00	500	500	Display	TFT top tube + remote
C	585	607	633	658	Frame	Full-Carbon, Sizes: S-M-L-XL
D	95	105	120	130	Fork	Suntour AXON34 LO-RC PCS
E	64,50	65,00	65,00	65,50	Shock	Suntour EDGE PLUS 2CR
F	51	51	51	51	Chain rings	Sram 34t
G	121,5	118,0	118,0	114,3	Crank arm	FSA Forged Alloy
H	732	748	775	794	Rear derailleur	Sram GX
I	437	437	437	437	Shift Levers	Sram GX
J	23	23	23	23	Cassette	Sram GX, 12V, 10-52
J₂	349	349	349	349	Chain	Sram GX
K	605	612	627	640	Brake	Magura MT8 SPORT 2 Piston disc brake
L	423.5	442.5	463.0	483.0	Brake	Magura MT8 SPORT 2 Piston disc brake
M	795	800	805	810	Disc	Braking S3 Battfly, 180mm - 6Hole
N	780	780	780	780	Disc	Braking S3 Battfly, 180mm - 6Hole
O	65* - 70*	65* - 70*	65* - 70*	65* - 70*	Tires	Vittoria SYERRA - 29"x 2.4
P	170	170	175	175	Tires	Vittoria SYERRA - 29"x 2.4
Q/R	29" 743mm	29" 743mm	29" 743mm	29" 743mm	Wheels	Mavic Crossmax SL S 29"
S	562	562	562	562	Handlebar	GBC Ø31,8 FLAT
Z	100	100	125	150	Stem	GBC Ø31,8 x 70mm +8°
					Seatpost	Crankbrothers Highline 3 Ø30.9
					Saddle	Selle Italia Model-X Superflow
					Note	(*) Optional range extender, 160Wh

* 65 manubrio KFX SIC INTEGRATED

* 70 manubrio KFX FLAT











Rampage 1.4 Sport

Colour options:
black




Colour: red

Technical specifications

	Full-Carbon, sizes: S-M-L-XL		Sram SX, 12V, 11-50
	TQ HPR-50, Torque/Coppia: 50 Nm		Sram LEVEL 2 Piston disc brake
	TQ integrated, Lithium Ion, 360Wh		GBC Radiale 29"
	Suntour RAIDON34 LOR		Vittoria SYERRA - 29"x 2.4
	Suntour EDGE PLUS 2CR		Selle Italia Model-X Superflow

Specifications



Sizes	S	M	L	XL	Motor	TQ HPR-50, Torque/Coppia: 50 Nm
A	410	440	470	500	Battery	TQ integrated, Lithium Ion, 360Wh
B	75.00	75.00	500	500	Display	TFT top tube + remote
C	585	607	633	658	Frame	Full-Carbon, Sizes: S-M-L-XL
D	95	105	120	130	Fork	Suntour RAIDON34 LOR
E	64,50	65,00	65,00	65,50	Shock	Suntour EDGE PLUS 2CR
F	51	51	51	51	Chain rings	Sram 34t
G	121,5	118,0	118,0	114,3	Crank arm	FSA Forged Alloy
H	732	748	775	794	Rear derailleur	Sram SX
I	437	437	437	437	Shift Levers	Sram SX
J	23	23	23	23	Cassette	Sram SX, 12V, 11-50
J₂	349	349	349	349	Chain	Sram SX
K	605	612	627	640	Brake	Sram LEVEL 2 Piston disc brake
L	423.5	442.5	463.0	483.0	Brake	Sram LEVEL 2 Piston disc brake
M	795	800	805	810	Disc	Sram CENTERLINE, 180mm - 6Hole
N	780	780	780	780	Disc	Sram CENTERLINE, 180mm - 6Hole
O	65* - 70*	65* - 70*	65* - 70*	65* - 70*	Tires	Vittoria SYERRA - 29"x 2.4
P	170	170	175	175	Tires	Vittoria SYERRA - 29"x 2.4
Q/R	29" 743mm	29" 743mm	29" 743mm	29" 743mm	Wheels	GBC Radiale 29"
S	562	562	562	562	Handlebar	GBC Ø31,8 FLAT
Z	100	100	125	150	Stem	GBC Ø31,8 x 70mm +8°
					Seatpost	RST ELEV8 A2 Ø30.9
					Saddle	Selle Italia Model-X Superflow
					Note	(*) Optional range extender, 160Wh

* 65 manubrio KFX SIC INTEGRATED

* 70 manubrio KFX FLAT

Rampage:
lighter, faster
and further.



28



29



20
23

Control, handling, exclusivity, mileage.

(*) FANTIC MOTOR reserves the right to modify technical characteristics without prior notice. All images are included for illustrative purposes. Products are subject to change.



@fanticbikes



Fantic Bikes



Fantic Bikes



Fantic Motor



@fanticmotor_official

fantic.com

Fantic,
we design,
engineer
and assemble
high-performance
electric bikes.